



## LT SERIES LT409 - 9W

9 watt non-dimmable LED SMD tubular lamps

### Application

Energy efficient LED lamp solutions

### Design Specifications

- Opal polycarbonate diffuser
- Poly covered aluminium body
- High efficiency SMD LED chips, beam 240 degree
- Integral non-dimmable LED driver
- Colour temperature 3000K / 4000K / 6000K, CRI >80
- Suits most CFL lamp fitting, lamp bases B22, E27, double insulation



### Technical Specification

| Model No.   | Description                | Input Voltage (V/AC) | Power (W) | Lumens (lm) | CCT (K) | CRI |
|-------------|----------------------------|----------------------|-----------|-------------|---------|-----|
| LT409/27B22 | LED TUBULAR 40mm 9W B22 3K | 240                  | 9         | 850         | 3000    | 80  |
| LT409/40B22 | LED TUBULAR 40mm 9W B22 4K | 240                  | 9         | 900         | 4000    | 80  |
| LT409/65B22 | LED TUBULAR 40mm 9w B22 6K | 240                  | 9         | 950         | 6500    | 80  |
| LT409/27E27 | LED TUBULAR 40mm 9W E27 3K | 240                  | 9         | 850         | 3000    | 80  |
| LT409/40E27 | LED TUBULAR 40mm 9W E27 4K | 240                  | 9         | 900         | 4000    | 80  |
| LT409/65E27 | LED TUBULAR 40mm 9W E27 6K | 240                  | 9         | 950         | 6500    | 80  |




| Model No.   | Beam Angle (°) | Dimmable | Dimensions (mm) | Base Type |
|-------------|----------------|----------|-----------------|-----------|
| LT409/27B22 | 240            | NO       | 106(L) x 40(W)  | B22       |
| LT409/40B22 | 240            | NO       | 106(L) x 40(W)  | B22       |
| LT409/65B22 | 240            | NO       | 106(L) x 40(W)  | B22       |
| LT409/27E27 | 240            | NO       | 107(L) x 40(W)  | E27       |
| LT409/40E27 | 240            | NO       | 107(L) x 40(W)  | E27       |
| LT409/65E27 | 240            | NO       | 107(L) x 40(W)  | E27       |


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

## Dimensions

LT409 B22



LT409 E27



## Product Images

